

Statistical Modeling with Spline Functions Methodology and Theory

Mark H. Hansen
University of California at Los Angeles

Jianhua Z. Huang
University of Pennsylvania

Charles Kooperberg
Fred Hutchinson Cancer Research Center

Charles J. Stone
University of California at Berkeley

Young K. Truong
University of North Carolina at Chapel Hill

Copyright ©2006

by M. H. Hansen, J. Z. Huang, C. Kooperberg, C. J. Stone, and Y. K. Truong

January 5, 2006

Contents

1	Introduction	11
1.1	Overview	12
1.1.1	Why do we end up using splines?	13
1.1.2	Broad outline of methods used	16
1.1.3	Broad outline of theory	19
1.1.4	Chapter by chapter overview	21
1.2	Background	22
1.2.1	Other smoothing methods	22
1.2.2	Some history	22
1.3	Software	22
2	Preliminaries	25
2.1	What is a Spline?	26
2.1.1	Polynomials	27
2.1.2	Piecewise polynomials	27
2.1.3	Splines	28
2.1.4	B-splines: Definition	30
2.1.5	Important properties of B-splines	34
2.2	Function Approximation	37
2.2.1	Properties of Polynomial Approximation	37
2.2.2	Why Splines?	38
2.2.3	Why B-splines?	39
2.2.4	Distance from a function to a spline space	39
2.3	Tensor products of splines	41

2.3.1	Tensor products of linear spaces	41
2.3.2	Tensor products of B-splines	41
2.3.3	Approximation properties	42
2.4	Concavity	43
2.4.1	One-dimensional case	43
2.4.2	Multi-dimensional case	45
2.4.3	Checking concavity	45
2.4.4	Existence and the uniqueness of the maximum	46
2.5	Optimization	48
2.5.1	Preview of the methods	49
2.5.2	Gradient Methods – steepest ascent	51
2.5.3	Newton–Raphson Method	52
2.5.4	Quasi-Newton Method	54
2.5.5	Conjugate Directions	58
2.5.6	One-Dimensional Optimization — step length search	61
2.5.7	Step-halving	62
2.5.8	How to terminate an iteration	63
2.6	B-splines with repeated knots	63
2.6.1	Polynomial interpolation	63
2.6.2	Divided difference – efficient way to evaluate the coefficients	64
2.6.3	Divided differences with repetition	64
2.6.4	Properties of the divided difference	65
2.6.5	Computing the divided differences recursively	67
2.6.6	B-Splines with repeated knots	68
2.6.7	Basis: Curry–Schoenberg Theorem	70
2.6.8	Examples	72
2.6.9	Interpolation Errors via divided difference	72
2.7	Continuity of divided differences	74
2.8	Partial derivatives of B-splines with respect to knot locations	75
3	Linear Models	101
3.1	Examples	102
3.1.1	Smoothing and extrinsic catastrophists	102
3.1.2	Global warming and tree migration	109
3.2	Regression modeling and approximation spaces	114
3.2.1	Linear spaces and ordinary least squares	115
3.2.2	The bias-variance tradeoff	117
3.2.3	How smooth? Some simple model selection criteria .	120
3.3	Curve estimation	124
3.3.1	From polynomials to splines	124
3.3.2	Model error for fixed-knot splines	132
3.3.3	Adaptive knot placement	134
3.4	Multivariate models	141
3.4.1	From multivariate polynomials to splines	141

3.4.2	Model error and functional ANOVA	146
3.4.3	Adaptation for multivariate splines	148
3.5	A survey of multivariate spline methods	154
3.6	Properties of spline estimates	154
3.6.1	Knot spacing	154
3.6.2	Boundary conditions	158
3.6.3	Degrees of freedom associated with knot placement .	160
3.7	Representation and computation	163
3.7.1	Selecting a basis	163
3.7.2	Implementing stepwise addition	166
3.7.3	Connection to smoothing splines	169
3.8	A second look at the examples	171
3.8.1	Assessing uncertainty in curve fitting	171
3.8.2	Test set prediction error	171
3.8.3	Multivariate responses	173
3.9	Conclusion	200
4	Generalized Linear Models	203
4.1	Applications	204
4.1.1	Health effects of particulate matter	204
4.1.2	Obesity and urban sprawl	214
4.2	GLMs and approximation spaces	220
4.2.1	Conditional Likelihood for a GLM	220
4.2.2	Canonical linear regression and approximation spaces	223
4.2.3	Link functions	225
4.3	Estimation and adaptation	226
4.3.1	Quadratic approximations	226
4.3.2	Application to GLMs	229
4.4	A general methodology	232
5	Polychotomous Regression and Multiple Classification	233
5.1	An example	233
5.1.1	The vowel data	233
5.1.2	Background	235
5.1.3	A Polyclass model for the vowel data	237
5.2	The Polyclass methodology	238
5.2.1	The Polyclass model	238
5.2.2	Fitting Polyclass models	241
5.2.3	Model selection	242
5.3	Further analysis of the vowel data	243
5.4	Applying Polyclass to large data sets	246
5.4.1	The fruit data	246
5.4.2	Analysis of cpu-time required for large data sets .	251
5.4.3	PolyMARS: A least squares approximation of the ad- dition process	254

6 Contents

5.4.4	Fitting Polyclass models with large data sets and many basis functions	257
5.4.5	Further analysis of the fruit data	264
5.5	Technical details of the Polyclass algorithm	271
5.5.1	Maximum number of basis functions	271
5.5.2	Optimizing the location of a new knot.	273
5.6	Notes	275
6	Density Estimation	277
6.1	An example	277
6.1.1	The income data	277
6.1.2	Background	278
6.1.3	Logspline density estimation	280
6.2	The Logspline methodology	282
6.2.1	The Logspline model	282
6.2.2	Basis functions	285
6.2.3	Fitting Logspline models	287
6.2.4	Knot selection	287
6.3	How much to smooth: more examples	288
6.4	Free knot splines and inference	293
6.4.1	Free knot splines	293
6.4.2	The bootstrap	294
6.4.3	A comparison	294
6.5	Censoring and truncation	296
6.5.1	The Fyn diabetes data	296
6.5.2	Implications for Logspline	297
6.5.3	The Fyn diabetes data analyzed	300
6.6	Multivariate density estimation	301
6.7	Technical details	303
6.7.1	Initial knot placement	303
6.7.2	Stepwise addition for Logspline	304
6.7.3	Numerical integration	305
6.7.4	Constrained optimization	305
6.8	Notes	306
7	Survival Analysis	309
7.1	An example	309
7.1.1	The bone marrow transplant data	309
7.1.2	Background	313
7.1.3	Linear models for the conditional log-hazard function	314
7.1.4	A Hare model for the bone marrow transplant data .	316
7.2	The Hare methodology	318
7.2.1	The Hare model	318
7.2.2	Allowable spaces	318
7.2.3	Model selection	319

7.2.4	Fitting Hare models	321
7.2.5	Inference	322
7.3	Further analysis of the bone marrow transplant data	323
7.3.1	Does a simpler model fit the data?	323
7.3.2	Partially linear Hare models	327
7.3.3	Proportional hazards regression	329
7.4	Extensions	333
7.4.1	The Colorado Plateau uranium miners data	333
7.4.2	Time-dependent covariates	334
7.4.3	Left truncation	335
7.4.4	Analysis of the Colorado Plateau uranium miners data	336
7.4.5	Interval censored data	339
7.4.6	Heft	340
7.4.7	Severe censoring and the penalty parameter	342
7.5	Technical details	344
7.5.1	Numerical integration for Heft	344
7.6	Notes	345
8	Estimation of the Spectral Distribution	349
8.1	An example	349
8.1.1	The network data	349
8.1.2	Background	350
8.1.3	Mixed Spectra	353
8.1.4	An Lspec model for the network data	355
8.2	The Lspec methodology	356
8.2.1	The Lspec model	356
8.2.2	Model selection for Lspec models	358
8.3	Further analysis of the network data	359
8.4	Extensions	362
8.5	Notes	362
9	Multivariate Splines	365
9.1	Preliminaries	365
9.2	An application	370
9.3	The methodology	372
9.3.1	Bivariate spline spaces	372
9.3.2	Maximum likelihood estimation.	378
9.3.3	A stepwise algorithm	379
9.3.4	Stepwise addition	382
9.3.5	Stepwise deletion	386
9.4	The example revisited	388
9.5	Simulation results	390
9.6	Extensions	393
10	Alternate Optimization Methods	399

10.1	Normal linear regression revisited	400
10.1.1	Greedy methods and the $^{87}\delta\text{Sr}$ data	402
10.1.2	Results from an exhaustive search	405
10.2	Bayesian Formulations	408
10.2.1	A single linear space	409
10.2.2	Many spaces	413
10.2.3	Computation	417
10.2.4	Connection with model selection criteria	420
10.2.5	Theoretical justification	420
10.3	Normal linear regression	420
10.3.1	Prior specification	420
10.3.2	Computation	424
10.4	Extended linear models	425
10.4.1	Logspline density estimation	425
10.4.2	Triogram regression	425
10.4.3	ELM Prior specification	425
10.4.4	Computation	431
10.4.5	Logspline density estimation	432
10.4.6	Triogram regression	439
10.5	Other optimization methods	447
10.5.1	Simulated annealing	448
10.5.2	Genetic algorithms	448
10.5.3	Gradient descent machines	448
10.6	Combining models	448
11	Rates of Convergence in Extended Linear Modeling	449
11.1	Theoretical Framework and Basic Results	450
11.1.1	Extended Linear Models	450
11.1.2	Consistency and Rates of Convergence	454
11.1.3	ANOVA modeling	458
11.2	The main result on rates of convergence	463
11.2.1	Approximation Error	464
11.2.2	Estimation Error	465
11.3	Functional ANOVA	467
11.3.1	Functional ANOVA Decompositions	467
11.3.2	Construction of Model Space and Estimation Spaces using Functional ANOVA	470
11.3.3	Rates of Convergence of ANOVA Components	473
11.4	Verification of Technical Conditions	476
11.4.1	Preliminaries	476
11.4.2	Theoretical and Empirical Inner Products	478
11.4.3	Generalized Regression	481
11.4.4	Density Estimation	486
11.4.5	Hazard Regression	487
11.5	Notes	490

12 Extended Linear Modeling with Free Knot Splines	493
12.1 Main Results	494
12.1.1 Statement of Main Results	494
12.1.2 Uniformity in Rates of Convergence	496
12.1.3 Adaptive Parameter Selection	497
12.2 Free Knot Splines and Their Tensor Products	500
12.3 Verification of Technical Conditions	502
12.3.1 Preliminary Lemmas	503
12.3.2 Density Estimation	505
12.3.3 Generalized Regression	506
12.4 Proofs of Lemmas in Section 12.2	513

